

### Übersicht Rohrisolierung-Ø und Anwendung

Rohrisolierung-Ø	Kunststoffrohre		Kupferrohre Cu		Stahlrohre Fe		
	Außen-Ø	Nennweite	Außen-Ø	Nennweite	Zoll	Außen-Ø	Nennweite
... 12/..			12	10			
... 15/..			15		1/4	13,5	8
... 18/..			18	15	3/8	17,2	10
... 20/..	20	15					
... 22/..			22	20	1/2	21,3	15
... 25/..	25	20					
... 28/..			28	25	3/4	26,9	20
... 32/..	32	25					
... 35/..			35	32	1	33,7	25
... 40/..	40	32					
... 42/..			42	40	1 1/4	42,4	32
... 48/..					1 1/2	48,3	40
... 50/..	50	40					
... 54/..			54	50		54	
... 60/..					2	60,3	50
... 64/..	63	50					
... 70/..	70						
... 76/..			76,1	65	2 1/2	76,1	65
... 89/..			88,9	80	3	88,9	80
... 114/..					4	114,3	100